



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT APPLICATION

In re Application of

Michael R. Kling

Serial No.: 09/963,987

Filed: Sept. 26, 2001

)

Group Art Unit: 2879

)

Examiner:

)

Paper No.

)

For: Support For A Lamp Capsule And End-Of-Life Device, Lamp Including Such Capsule, And Method Of Coupling Lamp Capsule And End-Of-Life Device To Such Support.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Commissioner of Patents and Trademarks, Washington, D.C. 20231 on the date Nov. 1, 2001, signed William E. Meyer.

COMMISSIONER OF PATENTS AND TRADEMARKS

WASHINGTON, D.C. 20231

FILING OF MISSING PARTS

Sir:

Enclosed are:

☒ Notice to File Missing Parts☐ Assignment Copy☐ Statutory Fee for Large Entity☐ Recording Fee☒ Missing Parts Surcharge☐ Postcard☐ Declaration and Attached Specification☒ Drawings☐ Recordation Form Cover Sheet (PTO-1595)

Kindly record the submitted assignment for the above identified application. When recordal has been effected, please return the original assignment to the undersigned.

☒ Please charge my Deposit Account No. 15-0685 in the amount of \$ 130.00. A duplicate copy of this sheet is enclosed.

☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Account No. 15-0685.

☒ Any additional filing fees required under 37 CFR 1.16.


☒ Any patent application processing fees under 37 CFR 1.17.

William E. Meyer
William E. Meyer Registration No. 30,719

OSRAM SYLVANIA INC.

100 ENDICOTT STREET

DANVERS, MA 01923



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT APPLICATION

In re Application of) Group Art Unit: 2879
Michael R. Kling) Examiner:
Serial No.: 09/963,987) Paper No.
Filed: Sept. 26, 2001)

For: Support For A Lamp Capsule And End-Of-Life Device, Lamp Including Such Capsule,
And Method Of Coupling Lamp Capsule And End-Of-Life Device To Such Support.

Assistant Commissioner of Patents
Washington, D.C. 20231

October 31, 2001

Dear Sir:

TRANSMITTAL LETTER TO OFFICIAL DRAFTSMAN

Transmitted herewith are high quality copies of drawings submitted for the above application. It is requested that the drawings be placed in the file of the above noted application.

Respectfully submitted,

A handwritten signature in cursive script, reading "William E. Meyer".

William E. Meyer
Reg. No. 30,719

OSRAM SYLVANIA INC.
100 ENDICOTT STREET
DANVERS, MA 01923
TEL: (978) 750-2384



UNITED STATES PATENT AND TRADEMARK OFFICE

 COMMISSIONER FOR PATENTS
 UNITED STATES PATENT AND TRADEMARK OFFICE
 WASHINGTON, D.C. 20231
 www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/963,987	09/26/2001	Michael R. Kling	01-1-447

 OSRAM SYLVANIA Inc.
 100 Endicott Street
 Danvers, MA 01923

 RECEIVED
 OCT 25 2001
 Patent Department

CONFIRMATION NO. 3341

FORMALITIES LETTER



OC00000006948412

Date Mailed: 10/22/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*


 Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 1 - ATTORNEY/APPLICANT COPY

 Adjustment date: 01/22/2002 SSN: EFKU
 01/11/2002 CIVORAGHA 00000050 150685
 01 FC-105 130-00 CR 09963987